

Product specification



FSL400H: 400 Ltr Slimline Cabinet Refrigerator

11-109

Single door refrigerator cabinet

Features and benefits

- When space is a prime concern Slimline cabinets provide the ideal storage solution
- Fitted with Foster's revolutionary +stayclear condenser as standard, reducing the need for disruptive site maintenance and offering incredible efficiencies
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation
- LED electronic temperature display for accurate control and clear visual reference
- Slender design, big performance! High quality forced air refrigeration system will operate up to 40°C (ISO Climate Class 5)

We use cookies to ensure you get the best experience on our website.

More information.

Accept all

Decline all

Technical

Refrigerant R290

Temperature Refrigerator +1/+4°C

Electrical 230/50/1

supply

Fuse rating 10

(A)

2.5 Current (A)

Power (W) 200

Refrigerant

90

mass (g)

Thermal heat 160

rejection (kW)

Build

Standard Cabinet type

Finish ext/int S/S & Alu

Hinge Left

Number of

sections

Section Right hinge

1

configuration

System Integral

Dimensions

Height (mm) 1910

Width (mm) 600

Depth (mm) 705

Gross volume 400

(ltr)

Net volume

(ltr)

267.8

91

85

Braked castors

Leg type

Gross weight (kg)

Net weight

(kg)

Energy

Climate Class 5

Energy grade С

EEI 41.63

AEC (kWh) 437

1.196 Energy

consumption (kWh/24hr)

GWP 3

We use cookies to ensure you get the best experience on our website. More information.

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU +44 (0)1553 691122 | sales@foster-gamko.com | www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website.

More information.