



The Refrigeration Experts

Product specification



FSL400M: 400 Ltr Slimline Cabinet Refrigerator

11-312

Single door meat storage cabinet

Features and benefits

- When space is a prime concern Slimline cabinets provide the ideal storage solution
- Fitted with Foster's revolutionary +stayclear condenser as standard, reducing the need for disruptive site maintenance and offering incredible efficiencies
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation
- Updated white LED electronic temperature display for accurate control and clear visual reference
- Keep produce safe while the kitchen is closed with door locks as standard
- Easy-wipe dished liner base means split liquids will pool at the centre of the base, avoiding getting into any joins
- Easy access pocket door handles give speed and efficiency in a busy kitchen environment Stainless steel exterior finish with 304 stainless steel door provides a durable product suitable for tough kitchen usage
- Slender design, big performance! High quality forced air refrigeration system will operate up to 40°C (ISO Climate Class 5)

Technical

Refrigerant	R290
Temperature	Meat -2/+2°C
Electrical supply	230/50/1
Fuse rating (A)	10
Current (A)	2.5
Power (W)	430
Refrigerant mass (g)	70

Build

Cabinet type	Standard Pressed liner
Door material	304 Stainless steel
Finish ext/int	S/S & Alu
Number of sections	1
Section configuration	Right hinge
System	Integral

Dimensions

Height (mm)	1910
Width (mm)	600
Depth (mm)	705
Gross volume (ltr)	400
Net volume (ltr)	267.8
Leg type	Castors
Gross weight (kg)	99.41
Net weight (kg)	86

Energy

Climate Class	5
AEC (kWh)	437
GWP	3

Options

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU
+44 (0)1553 691122 | sales@foster-gamko.com |
www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.